





Floor you will LOVE to explore

Feel the essence of grandeur and grace as you take steps towards your destination with Notion.

At Notion, we believe in providing you with an experience that speaks of elegance and luxury.

We care for your precious moments and feel immense pleasure to become a reason for it.





PREMIUM LAMINATE SERIES



BLUE LINE WOOD

SURFACE PANEL BOX Highgloss 1376x193x8mm 8 Panels=2.124m²

UTILITY CLASS 32/AC 4

BLUE LINE NATURE

SURFACE PANEL BOX Supermatt 1380x114x8mm 10 Panels=1.573m²

UTILITY CLASS 32/AC 4

QUADRAIC

SURFACE PANEL BOX Supermatt 644x310x8mm 10 Panels=1.996m²

UTILITY CLASS 32/AC 4





2918 Canyon



4189 Victorian Oak





013 Agura



visually divided, highlighting the different uses of the living and working space. The harmonious range of tones and surfaces combined with the architecture of the room create a cohesive atmosphere blending spaces that are easy to personalize with furniture or other splashes of color. The all-round V-grooves create a characteristic board impression for the suite range. The linear grain structure of this collection's finish, for example in BW (Brushed Wood), gives a striking brushed wooden optic.








Natural Real Wood Appearance (NR)







Natural Real Wood Appearance (NR)







BOARD: 1283 x 115 x 8mm | BOX: 12 Boards = 1.77m²

PALLET: 60 Boxes = 106.2m2

WARRANTY: 25 years in domestic | 3 years in commercial








LAMINATE FLOORING


Studio gracefully lends itself to uses all over. It is e qually suited to functional kitchens, to children's rooms, to studies as well as stylish living areas. Studio meets the demands of almost every space. Classically elegant decor

Classically elegant decor and carefully selected surface finishes make this collection the very best. Those who get a taste of exclusive, professionally placed laminates will never need anything more.





WARRANTY: 25 years in domestic | 3 years in commercial







BOARD: 1288 x 196 x 8mm | BOX: 8 Boards = 2.02m2
PALLET: 60 Boxes = 121.2m2
WARRANTY: 10 years in domestic | 1 year in commercial





ENGINEERED BESPOKE FLOORING



ARGYLE 23x750x750mm



LOUVRE-D 23x625x625mm



EMPIRE 23x637x510mm



PHONIX 23x445x445mm



FONTAINE INDIA 23x630x630mm



RINALDI 23x622x622mm



FONTAINE



ROYAL PALAIS 23x630x630mm



HERITAGE 23x625x625mm



SAVANNAH 23x805x805mm





ENGINEERED HARDWOOD FLOORING REGULAR & CUSTOMIZE



PATTERNS AND DIMENSIONS

1 Strip Royal 190 x 2190mm or 1830mm

1 Strip Imperial 138 x 2190mm or 1830mm



T & G

Thickness: 14mm and 22mm

LOC



Gloss level 8%, 25% or 50%. Micro bevelled (Royal, Imperial, Regal, Fineline)

Fine line 190 x 2190mm or 1830mm



FINELINE

1 STRIP ROYAL

1 STRIP IMPERIAL

3 STRIP REGAL

MERBAU FINELINE



OAK COFFEE

WALNUT IMPERIAL

MERBAU REGAL

OAK FINELINE



OAK VINTAGE LATIN



OAK WHITE STONE

WALNUT FINELINE



N10 OILED

WHITE OAK IMPERIAL

OAK BLACK WASH



N11 OILED

N4 WHITE WASH

WALNUT REGAL

N6 OILED



N12 OILED



N6 WHITE WASH

N10 WHITE WASH



N9 OII FD



N13 OII FD

N7 WHITE WASH

N11 WHITE WASH












HERRINGBONE


Herringbone floors have a rich history as a traditional floor pattern in Europe. Herringbone Flooring is usually made from Walnut wood, Oak, Maple wood, and Elm wood. It can be installed in several configurations, with or without a border.

CHEVRON

The Chevron floor pattern originated in France in the 17th century, where it became one of the most favored types of flooring in the palaces of kings and aristocrats alike. Chevron flooring is a modern, technically superior take on the traditional French floor. Manufactured using cutting-edge equipment, each plank is precisely milled.







STAIRBOARD



STAIRBOARD

A staircase is an opening statement of any home, and we aim to provide solid wood stair treads that will make the opening statement of your home the epitome of beauty and elegance. Our hardwood stair treads are custom-made, manufactured from fine solid wood, not wood veneer, by our skilled craftsman in our manufacturing facility.

ADD STRENGTH AND BEAUTY Wood stair treads can wear out over time and will need to be replaced. Searching for new treads that will not only enhance the beauty of your home but will also be strong enough to sustain a constant flow of traffic is important.



- Staircase
- · Furniture manufacturer
- Kitchen cabinets manufacturer/ Wholesaler
- · Door manufacturer

CUSTOM MADE TO FIT ANY STAIRCASE Our pre-finished stair treads come in a standard 30mm thickness, but your choices are endless. You can choose from our numerous color options and of any length or width.




Thickness: 30 mm Width: Customized same length


Length: Customized

Application: Staircase board laminated, smooth sanded surfaces

Surface: Smooth-sanded surface

Coating: No coating, can be polished to any color





OUTDOOR DECKING & CLADDING



INVISIBLE FIXATION SYSTEM

The fixation is a revolutionary system enabling the installation of planks without any apparent screw, improving both the resistance of structure (no more weak points in the plank or in shearing the screw) and gives perfectly homogeneous aesthetics. This system, designed in very resistant composite material, guarantees long-lasting durability. Its fixation system (see illustration) allows free circulation of air & movement between the planks without any resulting deterioration of the wood. The Softline system combines all requirements concerning both reliability and aesthetics.

THE ADVANTAGES OF THE WOOD

- ✓ Class 1 rot-proof wood.
- Very stable wood oven-dried, guaranteeing very little distortion.
- Planks of fixed lengths, precision cut, avoiding on-site trimming.
- Smooth Anti-Slip surface, without splinters.
- Wood without any need for preliminary treatment.
- Selected high-grade wood.
- Pleasant material, never too hot, never too cold.



ADVANTAGES OF FIXATION

- · Enables invisible fixation to the support.
- · Eliminates the stage of pre-drilling and countersinking.
- Composite material with high mechanical strength, guarantees a high quality system.
- Flexibility in compression and/or expansion, allowing re-positioning after stress unlike steel.
- · Allows the strips to be isolated from the support.
- · Provides a guarantee of long lasting durability.
- · Shortens the installation time.
- · Allows even joining between strips.
- · Ensures free circulation of air.
- Allows a vertical installation
- · Possibility of removing and replacing planks.
- Reinforces the general aspect, thanks to wooden frame fixed with non visible screws.

Can be used at:

Facades | Terrace Gardens | Balconies | Fencing | Pool & Ship Deck Drive Ways | Planters

*Products shown are for representative purpose only. Actual product may differ.

TIMBER SPECIES

Our exceptional varieties of wood: Afromosia, Ipe, Padauk & Teak have been chosen for their technical properties, perfectly suited for every climatic conditions, perfectly suited for every climatic conditions. Our products are dried to an average moisture of 13% (+- 2%) and are perfectly rot-proof without any chemical treatment and very stable regardless of the external conditions.



DECK TILE SQUARELINE

Squareline is an invisible fixation deckboard system for your garden. Made up of individual wooden tiles, they are attachable by the four corners with a solid clip. Easy to place and easy to remove, Squareline is perfect for your garden decking.


ADVANTAGES

- · Allows fixing to support without visible screw or nails.
- · Eliminates the need for pre-drilling and countersinking.
- Fixings manufactured from tough composite material guaranteeing a high quality system.
- · Provides a guarantee of long-lasting durability.
- · Shortens the installation time.
- · Ensures free circulation of air.
- · Prevents the twist in the planks.
- Wood with no maintenance needed

SOUARFI INF FIXATION SYSTEM


This easy fixation system enables the deck boards to be fitted without any visible screw, improving both the resistance of the structure (each of the deck boards are individual) and giving a clean. aesthetically pleasing appearance to the installation. This fixation system, designed in an extremely tough composite material quarantees long lasting durability.











The supports for prefabricated flooring can be used with any type of slab and self-supporting tile and can be used on any type of terrace even with exposed waterproofing. Their function is to ventilate the slab, protect the waterproofing membrane by distributing the load over an adequate surface, make the waterproofing system easy to inspect and repair, making it practicable without overloading the existing slab. The circular shape, perforated in some cases. adapts perfectly to the floor sub-base even when it is not fully regular. All types of JACK SUPPORT are guaranteed to bear concentrated loads of 400 kg each. A 400 kg concentrated load means an evenly distributed load of 1600 kg/sg m for 50x50 cm tiles and 2,500 kg/sq m for floors made up of 40x40 cm tiles. The maximum load recommended on each single piece is 400 kg, from which the safety coefficient, equal to 50% of yielding or breakage resistance, has already been deducted. The jack support has been designed for the installation of any type of flooring on any surface, allowing inspection of the various systems beneath. without needing to demolish anything. We recommend to use slope correctors to grant loads at right angles to the laying surface. Just in this way a height load resistance will be assured.

USE QUALITY, TECHNOLOGY & PRODUCTION

A versatile and complete system to resolve all the problems of external surfaces in easy way and without demolitions. A wide range of solutions able to suit for the greatest part of the present situations in the construction site - also in case of restructuring. Our supports enable to choose the best solution according to the type of floor to lay: that is wood, composite wood, ceramic, marble or granite.

Production automation which ensures maximum quality control, elasticity and personalization of products and careful selection of suppliers of ramaterials for innovative products are the company's new targets that guarantee the continuous and constant improvement of our supports.

HEIGHTS FROM 5 TO 1020 mm

Both the fixed height and adjustable height supports system allow ample coverage of heights. The use of levelers and extensions enriches the range, optimizing all the best pieces in the warehouse.



JACK SUPPORT



PERGOLAS & MORE

A pergola, arbor, or arbour is a garden feature forming a shaded walkway, passageway, or sitting area of vertical posts or pillars that usually support cross-beams and a sturdy open lattice, often upon which woody vines are trained. As a type of gazebo, it may also be an extension of a building or serve as protection for an open terrace or a link between pavilions. Pergolas may link pavilions or extend from a building's door to an open garden feature such as an isolated terrace or pool. Freestanding pergolas, those not attached to a home or other structure, provide a sitting area that allows breeze and sunlight to enter but offers protection from the harsh glare of direct sunlight.









PROPERTIES

- Highly sustainable growth means a more environmentally friendly product.
- Light yellow brown grain highlights well when glossed.
- It can withstand extreme weather conditions and long exposure to UV rays.



APPLICATIONS

Pergolas | Gazebos | Exterior Handrail | Furniture and much more







CUSTOM MADE DOORS



ACCESSORIES

ALUMINIUM DOOR PROFILE

Most floors require a profile that divides two different rooms with different floor types and heights. By using an aluminium profile this problem is solved quickly because of an adjustable feature found in product.

SIZE: 270 cm.

APPLICATION: Hidden Screw

COLOR: Silver | Gold | Wooden | L.Bronze | Bronze





ALUMINIUM STAIR END PROFILE

It is used to cover the front edge of a stair nose or step. If used on a stair, flooring is installed behind the stair nose to cover the horizontal part of the stair.



SIZE: 250cm. COLOR: Silver APPLICATION: Drilled

SIZE: 270cm.

APPLICATION: Drilled | Adhesive

PACKING: Individual Pack

COLOR: Silver | Gold | L.Bronze | Bronze



Finishing Profile






SOUND BLOCK

3mm underlay with permanent selfadhesive bond (high grab) with a thickness of >_ 3.0mm, solid / engineered wood (tongue and groove).

Engineered Wood (Click Joint)	ü
Laminate (Click Joint)	ü





FLOORING ACCESSORIES

SKIRTING



(HT - 60mm L - 2400mm) which is used for the purpose of hiding the expansion gap between the wall & the Laminate/ Engineered Hardwood Flooring. These are in different kinds of shapes and sizes and are highly appreciated for their superior quality.

BEADING



(HT - 18mm L - 2400mm) is used for covering the expansion gap against a wall, where it is not feasible to install a skirting. Beading is used in transition from laminate floor to linoleum or other two of hard surfaces

STAIREND PROFILE



(HT - 18mm L - 2400mm) used to cover the front edge of a stair nose or step. If used on a stair, flooring is installed behind the stair nose to cover the horizontal part (the thread) of the stair.

12 FLOOR CARE PRODUCTS



LAMINATE CLEANER

Mild neutral cleaning agent for the initial and regular cleaning of laminate floors. Removes dirt, fat, grease and shoe marks. Does not leave a residue. For EN 13329-defined laminate floor coverings and laminate surfaces (including kitchen and bathroom furniture). Specifically developed for all dick laminate floors



WOOD & CORK FLOOR CLEANER

A solvent-free cleaning agent for the daily cleaning of wood and cork floors. Dissolves dirt intensively and forms a carefully balanced cleaning and care system, in ombination with Wood & Cork Polish satin or mat. Also used for the final cleaning of a new building after such flooring is laid.



INDOOR HARDWAX OIL

Notion Hardway Oil is used for oil finishing of wooden floors manually or with polishing machine. The oil ensures an extremely hardwearing and light filmbuilding surface, NOTION Hardwax Oil is ideal for basic finishing of any unfinished, new and newly sanded interior woodwork. or for topcoat on NOTION Colour Oils, Polishing machine is recommended for the polishing of bigger areas



EXTERIOR WOOD CLEANER

Exterior Cleaner is for the cleaning of wood decking, garden furniture, cladding / sidings, fences, doors, carports etc. The product removes green growth and dirt. Exterior Cleaner is also very suitable for the cleaning of brickwork and concrete plates.



EXTERIOR DECK OIL

Exterior Oil is used outdoor for basic treatment and maintenance of new and previously oiled wood surfaces such as decks, garden furniture, cladding etc. Exterior Oil can also used on traditional wood species such as pine and larch and on exotic species such as pine and larch and oil Natural is recommended to enhance the natural colour structure of the wood. All varieties have Uty protection.



OUR CLIENTS





















































































































ALITHODISED DETAILED

Exotic Decor Private Limited

Corp. Office & Display Centre: C-44, Sector-2, Noida-201301 U.P (INDIA) Tel: +91-120-4000-500, Fax: +91-120-4000-507 email: contact@exotic-decor.com, www.exotic-decor.com

Customer Care No: 8010 450 450